

Freezer on Bottom 20 Cubic Foot Models:

Fax Document Number: 1722 / 011129

Models	BB20V1	BB20V1P
General		
Style	Built-in	Built-in
Free-O-Frost™ Operation	Yes	Yes
Magna-Seal™ Door Gaskets	Yes	Yes
Seamless Food Liners	Yes	Yes
Total Refrigerator Capacity (cu.ft.)	19.7	19.7
Fresh Food Capacity (cu.ft.)	14.1	14.1
Freezer Capacity (cu.ft.)	5.6	5.6
Total Refrigerator Shelf Area (sq.ft.)	23.4	23.4
Fresh Food Shelf Area (sq.ft.)	18.1	18.1
Freezer Shelf Area (sq.ft.)	5.3	5.3
Colors		
White	BB20V1W	---
Black	BB20V1E	---
Stainless Steel (Black Cabinet)	BB20V1S	BB20V1PS
Energy Index		
% Below 2001 Standard	0	0
Energy Label Value (@ \$.0842 KWH)	47	47
KWH per Year (Using FTC Method)	564	564
Exterior Features		
Handle Style	Full Length Vertical Extruded, Side Mount	Full Length Vertical Extruded, Side Mount
Handle Color	CC*	Stainless Look
Door Trim Kit Color - Factory Installed	CC*	Stainless Look
Door Panels - Factory Installed	---	Stainless Steel
Toe Grille Color	CC to Cabinet	Black
Center Mullion & Hinge Color		
White & Black Cabinet	CC to Cabinet	Black
Hinge Cover Color (Upper/Lower)	CC	Gray / Black
Door Stop Color	CC to Cabinet	Black
Fresh Food Door w/Extended Trim (Upper Hinge Not Visible)	Yes	Yes
Textured Steel Exterior	Cabinet & Doors	Cabinet
Smooth Stainless Steel Doors	---	Yes
Adjustable Front & Rear Rollers	Yes	Yes
Consumer Reversible Door Swing	Yes	Yes
SofSound™ Package	Yes	Yes

CC= Color Coordinated

*Handle color and door trim kit color for the BB20V1S is stainless look.

Models	BB20V1	BB20V1P
Fresh Food Interior		
Covered Upper Lights (#)	1	1
Temp-Assure® Controls	Yes	Yes
Adjustable Shelves (# & Type)	4 Glass	4 Glass
Half Width (#)	4	4
Spillsaver™ (#)	4	4
EasyGlide™ (#)	3	3
Temperature Controlled Chiller Fresh™ Deli Drawer™	Yes	Yes
RollerGlide™	Yes	Yes
Location	Lower Left	Lower Left
Slide Out Deli-Port™	Yes	Yes
Glass Crisper Top	Yes	Yes
Spillsaver™	Yes	Yes
Garden Fresh™ Crispers (#)	1	1
Humidity Controlled (#)	1	1
RollerGlide™	Yes	Yes
Location	Lower Right	Lower Right
Fresh Food Door		
Dairy Center (#)	2	2
Adjustable Door Buckets (#)	4	4
Half Width (#)	4	4
Door Shelves (#)	1	1
Full Width (#)	1	1
Gallon Storage (# of Gallons)	4	4
Deepfreeze® Interior		
Covered Upper Lights (#)	1	1
Freezer Controls	Upfront	Upfront
Ice Service Rack	Yes	Yes
Pull Out Wire Shelves (#)	1 Full Width	1 Full Width
Glide Out Wire Basket (#)	1 Full Width	1 Full Width
Wire Shelf Divider (#)	1 Vertical	1 Vertical
Wire Basket Divider (#)	---	---
Deepfreeze® Door		
Door Shelves (#)	---	---
Pivot Bin™ Door Rack (# & Type)	1 Full Width	1 Full Width
Tilt-Out	Yes	Yes

Models	BB20V1	BB20V1P
Feature Accessory Package		
"J" Shaped Adj. Hanging Storage Rack	Yes	Yes
Storage Bucket w/Lid & Egg Divider	Yes, Opaque	Yes, Opaque
Adjustable Dividers (#)	2	2
Adjustable Bottle Huggers (#)	---	---
Tall Package Retainer (#)	---	---
Flex Action™ Ice Cube Trays	2	2
Ice Bin (#)	1 Large	1 Large
Sales Accessories Kits		
Ice Maker	IC6	IC6
Water Filter Kit (External)	WF60	WF60
1/16 Custom Door Panel Size	1/16 panel requires a backer panel using the same dimensions as the 1/4 panels.	Factory Installed
1/4 Custom Door Panel Size - Freezer Door (h x w in inches)	23 11/16 x 35 5/8	Factory Installed
1/4 Custom Door Panel Size - Fresh Food Door (h x w in inches)	41 x 35 5/8	Factory Installed
Handle Clearance for Fresh Food & Freezer Door - Raised Panel Installation (in)	3	---
Trim Kits	Factory Installed	Factory Installed
Panel Kits	Contact Frigo Designs at 1/800-836-8746	Factory Installed
Warranty	Warranty applies only when product is repaired by an authorized Amana servicer.	
Entire Unit	Full 1 year - parts, labor and travel	
Sealed System	Full 5 years - parts, labor and travel	
Food Compartment Liner	Full 5 years - parts, labor and travel in lieu of replacement	
Electrical Requirements		
115V, 60Hz, 15 Amp	Yes	Yes
Installation Specifications (in Inches)		
Top/Back Air Clearance	1/4	1/4
Kitchen Cabinet Opening	36	36
Side Clearance, Each Side	1/8	1/8
Power Cord Length, from Strain Relief	108	108
Power Cord & Water Line Location	See Drawing	See Drawing

Models	BB20V1	BB20V1P
Dimensions (in Inches)		
A: Cabinet Height with Top Door Trim	70	70
Cabinet Height with Door Hinge	69 5/8	69 5/8
B: Cabinet Height, w/o Top Door Trim & Hinge Cover	68 5/8	68 5/8
C: Cabinet Depth with Door Handle	28 1/4	28 1/4
D: Cabinet Depth w/o Door Handle	27 1/8	27 1/8
E: Cabinet Depth w/o Door	24	24
F: Cabinet Width / Door Width	35 5/8 / 36 1/2*	35 5/8 / 36 1/2*
G: Cabinet Depth with Door @ 90°	61 3/4	61 3/4
H: Water Line Location, Facing Back of Unit & Distance from Right Side	8 5/8	8 5/8
I: Water Line Location from Bottom	6 1/4	6 1/4
J: Power Cord Location, Facing Back Of Unit & Distance from Left Side	1	1
K: Power Cord Location from Bottom	8	8
L: Clearance from Side Wall for 90° Door Opening	1 7/8	1 7/8
Approximate Shipping Weight (lbs.)	300	300

*Width increases with addition of side mounted handle/trim.

